## What is claimed is:

5

10

15

20

1. A cardiac rhythm management device, comprising:

one or more sensing channels for sensing intrinsic cardiac activity and for sensing evoked responses to paces;

a pacing channel for delivering paces to a cardiac chamber;

a controller for delivering paces to the cardiac chamber in accordance with a programmed pacing mode, the controller including a memory for program and data storage;

wherein the controller is programmed to record physiological data from a sensing channel in memory such that older data is overwritten by newer data;

wherein the controller is programmed to detect a death event if no intrinsic cardiac activity has been detected in a previous M second interval and if no evoked responses to paces have been detected for the previous N delivered paces; and,

wherein the controller is programmed to cease recording of physiological data upon detection of a death event.

- 2. The device of claim 1 further comprising an impedance sensor and wherein the controller is further programmed to detect a death event only if no changes in transthoracic impedance have been detected in a previous L second interval.
- 3. The device of claim 1 further comprising an accelerometer and wherein the controller is further programmed to detect a death event only if no heart sounds have been detected in a previous K second interval.

25

4. The device of claim 1 further comprising an accelerometer and wherein the controller is further programmed to detect a death event only if no activity level has been detected in a previous J second interval.

5. The device of claim 1 further comprising an accelerometer and wherein the controller is further programmed to detect a death event only if no activity level has been detected in a previous J second interval and if the J second interval was preceded by a detection of a sudden increase in activity level.

5

15

30

- 6. The device of claim 1 wherein the controller is further programmed to detect a death event only if a pacing artifact is detected when a pace is delivered.
- 7. The device of claim 1 wherein the controller is further programmed to detect a death event only if an episode of atrial fibrillation precedes the detection of no intrinsic activity and no evoked responses to paces.
  - 8. The device of claim 1 wherein the controller is further programmed to detect a death event only if an episode of ventricular fibrillation precedes the detection of no intrinsic activity and no evoked responses to paces.
  - 9. The device of claim 1 wherein the controller is further programmed to cease outputting pacing pulses upon detection of a death event.
- 20 10. The device of claim 1 wherein the controller is further programmed to communicate the detection of a death event to a remote monitoring unit.
- A method for operating a cardiac rhythm management device, comprising:
  sensing intrinsic cardiac activity and evoked responses to paces delivered to a
  cardiac chamber;

recording physiological data from a sensing channel in a memory such that older data is overwritten by newer data;

detecting a death event if no intrinsic cardiac activity has been detected in a previous M second interval and if no evoked responses to paces have been detected for the previous N delivered paces; and,

ceasing the recording of physiological data upon detection of a death event.

12. The method of claim 11 further comprising detecting a death event only if no changes in transthoracic impedance have been detected in a previous L second interval.

5

15

- 13. The method of claim 11 further comprising detecting a death event only if no heart sounds have been detected in a previous K second interval.
- 10 14. The method of claim 11 further comprising detecting a death event only if no activity level has been detected in a previous J second interval.
  - 15. The method of claim 11 further comprising detecting a death event only if no activity level has been detected in a previous J second interval and if the J second interval was preceded by a detection of a sudden increase in activity level.
    - 16. The method of claim 11 further comprising detecting a death event only if a pacing artifact is detected when a pace is delivered.
- 20 17. The method of claim 11 further comprising detecting a death event only if an episode of atrial fibrillation precedes the detection of no intrinsic activity and no evoked responses to paces.
- 18. The method of claim 11 further comprising detecting a death event only if an episode of ventricular fibrillation precedes the detection of no intrinsic activity and no evoked responses to paces.
  - 19. The method of claim 11 further comprising ceasing the delivery of pacing pulses upon detection of a death event.

- 20. The method of claim 11 further comprising communicating the detection of a death event to a remote monitoring unit.
- 21. The method of claim 20 further comprising triggering an alarm in the remote monitoring unit which alerts appropriate personnel over a network connection.
  - 22. The method of claim 20 further comprising ceasing the delivery of pacing pulses upon receipt of a command from the remote monitoring unit upon detection of a death event.